

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

700702



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>H04N 5/445</b>	<b>A1</b>	(11) International Publication Number: <b>WO 99/25119</b>
		(43) International Publication Date: 20 May 1999 (20.05.99)

(21) International Application Number: PCT/US98/23335

(22) International Filing Date: 3 November 1998 (03.11.98)

(30) Priority Data:  
60/063,988 6 November 1997 (06.11.97) US  
09/063,333 20 April 1998 (20.04.98) US

(71) Applicant: PREVUE INTERNATIONAL, INC. [US/US]; 7140 South Lewis Avenue, Tulsa, OK 74136 (US).

(72) Inventors: ELLIS, Michael, D.; 1300 Kingwood Place, Boulder, CO 80304 (US). HAGENBUCH, Daniel, C.; 1208 Old Jordan Road, Holland, PA 18966 (US).

(74) Agents: TREYZ, G., Victor et al.; Fish & Neave, 1251 Avenue of the Americas, New York, NY 10020 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published


With international search report.

(54) Title: INTERACTIVE ELECTRONIC TELEVISION PROGRAM GUIDE WITH DATABASE CONFIGURABILITY

(57) Abstract

An interactive television program guide system is provided in which an interactive television program guide is implemented on user television equipment containing a memory. The system allocates the memory among different categories of program guide data used by the program guide. When new channels are added to the channel line-up, the program guide adjusts its memory allocation accordingly. When it is desired to install a new non-program-guide application on the user television equipment in addition to the program guide, memory can be reallocated to accommodate the new application.

INTERACTIVE  
TELEVISION  
PROGRAM  
GUIDE  
APPLICATION



Best Available Copy

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

INTERACTIVE ELECTRONIC TELEVISION PROGRAM GUIDE  
WITH DATABASE CONFIGURABILITY

Background of the Invention

This invention relates to television systems,  
5 and more particularly, to the use of memory in  
interactive television program guide systems.

Cable, satellite, and broadcast television  
systems provide viewers with a large number of  
television channels. Viewers have traditionally  
10 consulted printed television program schedules to  
determine the programs being broadcast at a particular  
time. More recently, interactive electronic television  
program guides have been developed that allow  
television program information to be displayed on a  
15 viewer's television.

Interactive television program guides, which  
control user-interface functions, i.e. channel-  
selection or interactive program inspection, are  
typically implemented on set-top boxes. Although set-  
20 top boxes are often provided to subscribers with only  
the program guide application installed and a certain  
number of pre-determined channels, cable system

- 2 -

operators often would like to have the capability to add more channels to their cable television channel line-up. Cable system operators may also want to install additional applications in the set-top boxes in  
5 their system when such features become available. For example, operators might wish to add application software to the set-top boxes to support a home shopping service, a home banking service, an Internet access service, or some other such service.

10 However, the amount of memory available in a set-top box is limited. Because the amount of memory required by a conventional program guide is fixed, it may not be possible to install new application software in a set-top box if the program guide application has  
15 already been installed. An example of an electronic program guide with a memory size that is fixed is shown in Lazarus U.S. Patent No. 5,652,613. Although it might be possible to reserve the needed memory capacity for the future installation of new applications by  
20 initially using a program guide with a fairly small memory requirement, such a reduced-size program guide would generally not be able to provide the same level of functionality as a full-sized program guide.

It is therefore an object of the present  
25 invention to provide a system in which the memory requirements of a program guide may be adjusted when it is desired to install additional applications.

It is a further object of the present  
invention to provide a system in which the memory  
30 requirements of a program guide may be adjusted to accommodate the addition of new channels to the existing channel line-up.

- 3 -

Summary of the Invention

These and other objects of the invention are accomplished in accordance with the principles of the present invention by providing an interactive

5 electronic television program guide system in which a set-top box or comparable user television equipment on which a program guide is implemented has a configurable database of program guide data. A set-top box or comparable user television equipment stores various  
10 categories of television program guide data in the configurable database and maintains a database configuration record. The database configuration record allocates memory usage among the categories of program guide data.

15 The database configuration record may be based on a look-up table arrangement that contains information on the preferred memory allocation to be used when various amounts of memory are available. If it is desired to change the amount of memory used by  
20 the program guide due to the installation of new applications, the database configuration record may be used by the program guide to reallocate the memory in the set-top box.

The database configuration record may be  
25 provided to the set-top box using a number of different techniques. For example, the database configuration record may be provided from the same source used to provide the program guide data. If desired, the database configuration record may be provided at the  
30 cable system headend. The record may be addressed to all set-top boxes controlled by a particular cable system operator, all set-top boxes in a given cable system, an individual set-top box, or other suitable grouping.

- 4 -

An aspect of the invention relates to the use of various levels of data storage. For each level of storage, the database configuration record may specify a desired number of hours of television program listings data to store for each category of programming, as well as a desired number of hours of descriptions. There may be a default database configuration record for each version of the program guide, for each specific type of set-top box hardware, and for each memory configuration corresponding to a specific type of set-top box hardware.

The television program guide data preferably may be divided into categories such as pay-per-view special events, pay-per-view movies, programming on premium channels, all other movies, all other sporting events, and all other series. Each data storage level specifies how the program guide is to allocate individual portions of memory for the listings and descriptions corresponding to different categories of programming.

For example, a first level (level one) in the database configuration record might indicate that the program guide should store 30 days of program listings data and program descriptions data for pay-per-view events, seven days of program listings data and five days of program descriptions data for pay-per-view movies, seven days of program listings data and 12 hours of program descriptions data for programming on premium channels, etc. For level two, which requires that less memory be used by the program guide database, the database configuration record may decrease the amount of program listings data and program descriptions data that is to be retained by the program guide for certain categories.

- 5 -

In response to the introduction of a new application to the set-top box, a new database configuration record may be required. When a new database configuration record is received by the set-top box, it informs the program guide how it may use to store the program guide data. The program guide then purges any programming data that is not within its storage levels as specified by the new database configuration record. New incoming television programming data is also controlled by the data storage level. When the program guide receives new programming data, the program guide checks the current level of the database configuration record. If the new data fits in memory using the current definition of the data storage level in the database configuration record, i.e., information about listings and descriptions of pay-per-view events within 30 days as described above for level one, the program guide stores the data. If the data extends beyond that definition, e.g., the data contains information about listings and descriptions of pay-per-view events that are 32 days into the future, the extra data will be discarded.

When the program guide determines that, for the present storage level, sufficient memory no longer exists (e.g., because new channels were added to the cable television line-up or a new non-program-guide application was added to the set-top box memory), the program guide deletes all unnecessary data and changes to a program listings level and a program descriptions level that requires less memory and provides less programming data. The program guide can become aware of this shortage of memory in two different ways: 1) the installation of new channels in the line-up may alert the program guide that its available memory has

- 6 -

been reduced or 2) as mentioned above, a new database configuration record may be sent from the cable operator to the program guide to inform the program guide of a new application that will be installed in  
5 the memory.

When the program guide determines that additional memory is available, for example due to the removal of an application from the set-top box or the removal of channels from the television channel line-  
10 up, the program guide changes to a program listings level and a program descriptions level which uses more memory for the program guide database and can therefore provide more complete programming information to the user of the program guide.

15 The database configuration record may also be used to specify a default startup level. The default startup level ensures that whenever the set-top box is turned on after a power interruption, the program guide starts at a lower level of storage and gradually  
20 increases to the predetermined maximum program listings level and maximum program descriptions level for the program guide.

The database configuration record may be stored in nonvolatile memory in the set-top box, so  
25 that the program guide continues to allocate memory properly after a power loss. Data such as program listings data and program descriptions data may be stored in volatile memory and reacquired after a power loss.

30 Further features of the invention, its nature and various advantages will be more apparent from the accompanying drawings and the following detailed description of the preferred embodiments.



- 7 -

Brief Description of the Drawings

FIG. 1 is a schematic diagram of a known interactive television program guide system.

FIG. 2 is a schematic diagram of a known interactive television program guide system according to the present invention.

FIG. 3 is a schematic diagram of a system in accordance with the present invention.

FIG. 4 is a schematic diagram of illustrative user equipment in accordance with the present invention.

FIG. 5 is a schematic diagram showing two illustrative types of user equipment in accordance with the present invention.

FIG. 6 is a schematic diagram of an illustrative set-top box arrangement in accordance with the present invention.

FIG. 7 is a schematic diagram of an illustrative memory arrangement for a set-top box in accordance with the present invention.

FIG. 8 is a table showing illustrative program listings levels in accordance with the present invention.

FIG. 9 is a table showing illustrative program descriptions levels in accordance with the present invention.

FIG. 10 is a schematic diagram of an illustrative database configuration record in accordance with the present invention.

FIG. 11 is a flow chart showing steps involved in introducing a new application to a set-top box in accordance with the present invention.

- 8 -

FIG. 12 is a flow chart showing steps involved in reconfiguring the memory in accordance with the present invention.

Detailed Description of the Preferred Embodiments

5           In known television program guide applications, the amount of memory reserved for program guide data is fixed. An example of such a system is shown in FIG. 1. In FIG. 2, an interactive television program guide application having a variable amount of  
10 memory for program guide data according to the principles of invention is shown at step 2. The variability of the amount of memory permits the interactive television program guide to accommodate new applications (or new channel data, see FIG. 12) as  
15 necessary. Step 4 illustrates an example of the interactive television program guide adjusting to accommodate a new application. Step 6 shows the interactive television program guide allocating a reduced amount of memory for program guide data while  
20 simultaneously allocating a portion of the memory for a new application.

          An illustrative arrangement for an interactive electronic television program guide system 10 in accordance with the present invention is  
25 shown in FIG. 3. Main facility 12 provides data from data source 14 to distribution facility 16 via communications link 18. Link 18 may be a satellite link, a telephone network link, a cable or fiber optic link, a microwave link, a combination of such links, or  
30 any other suitable communications path. If it is desired to transmit video signals over link 18 in addition to data signals, a relatively high bandwidth link such as a satellite link may generally be

- 9 -

preferred to a relatively low bandwidth link such as a telephone line. Distribution facility 16 may be a cable system headend, a broadcast distribution facility, or a satellite television distribution facility.

The program guide data transmitted by main facility 12 to distribution facility 16 includes television program listings data (e.g., program times, channels, titles), program descriptions data and data for other program guide services, and may include data for additional services. If desired, some data may be provided using data sources at facilities other than main facility 12.

Distribution facility 16 distributes the program guide data and data for other services to multiple users via communications paths 20. Each user has user equipment 22 for displaying television programs, television program listings, program descriptions, and information for other services using an interactive television program guide. Many features of the interactive television program guide are provided by executing instructions with a microprocessor or similar control circuitry 54 (FIG. 6) within user equipment 22. Communications paths 20 preferably have sufficient bandwidth to allow distribution facility 16 to distribute television programming and other video information to user equipment 22. Television programming and video information may also be distributed by distribution facility 16 over communications paths separate from communications paths 20.

Certain program guide functions may require user equipment 22 to transmit data to distribution facility 16 over communications paths 20 (e.g., with a

- 10 -

cable modem, telephone modem, or other suitable return link). If desired, return data may be transmitted over separate communications paths (not shown).

An illustrative arrangement for user  
5 equipment 22 is shown in FIG. 4. The program guide may be implemented on set-top box 28. The program guide coordinates the display of television programs and television program listings information on television  
36. If desired, user television equipment 22 may  
10 include a videocassette recorder controlled by the program guide on set-top box 28 for recording selected programs.

Periodically, user equipment 22 of FIG. 4 receives television programming, video information,  
15 television program listings information, and other data from television distribution facility 16 of FIG. 3 (or from a separate data stream) at input 26. Information from the user may be transmitted to distribution facility 16 of FIG. 3 via output 27. During normal  
20 television viewing, the user tunes set-top box 28 to a desired television channel. Remote control 40 or some other suitable user input device such as a mouse, infrared keyboard, touch pad, voice recognition system, etc. may be used for interacting with the program guide  
25 and controlling set-top box 28 and television 36.

The television program guide implemented on set-top box 28 may be downloaded from television distribution facility 16 via communications paths 20. If desired, different versions of the program guide  
30 (shown as interactive television program guide application 60 in FIG. 7) may be transmitted to individually addressable set-top boxes, such as set-top boxes of different types, 23 and 24 of FIG. 5.

- 11 -

The circuitry of set-top box 28 of FIG. 4 is shown in more detail in FIG. 6. As shown in FIG. 6, set-top box 28 contains memory 50 for data storage and control circuitry 54 (which is preferably  
5 microprocessor-based) for performing the various program guide and other set-top box functions. These functions include responding to user instructions sent via remote control 40 (FIG. 4) and responding to instructions sent by distribution facility 16 (FIG. 3)  
10 (e.g., when a new channel line-up is sent by distribution facility 16).

FIG. 5 shows an illustrative configuration of memory 50 in set-top box 28. Memory 50 contains program guide application 60, which includes a database  
15 configuration record 62 for allocating television program guide data 67 for various categories of listings information, such as television programming data 68 for category A of programming and television programming data 69 for category B of programming.  
20 Categories A and B and other such categories include special events, pay-per-view movies, sporting events, non-pay-per-view movies, or regular programs.

Additional applications 61 (e.g., an Internet browser, a shopping application, etc.) may also be  
25 contained in memory if desired. Database configuration record 62 is preferably stored in nonvolatile memory (e.g., rewritable flash memory) as indicated by dotted line 63. This ensures that program guide 60 allocates memory properly after a power loss, because memory  
30 allocation information in the nonvolatile database configuration record 62 will not be lost. Television program guide data 67 may be stored in volatile memory (e.g., random access memory), as indicated by dotted line 65. Television program guide data 67 may be

- 12 -

reacquired after a power loss, because television program guide data 67 is periodically transmitted to set-top box 28 from television distribution facility 16 (FIG. 3).

5 Database configuration record 62 uses program listings look-up table 64 and program descriptions look-up table 66 as guides when allocating memory between different types of television program guide data 67. When it is desired to download a new version  
10 of the database configuration record 62 to set-top boxes 28, e.g., to make more memory available to accommodate a new application, program guide 60 preferably accesses the newly introduced database configuration record 62 to determine which of the  
15 program listings levels 86 of program listings look-up table 80 of FIG. 6 and program descriptions levels 96 of program descriptions look-up table 90 of FIG. 7 coincides with the amount of memory it is desired to use for the program guide application (which relates  
20 directly to the amount of memory that will be made available for the new application).

However, when the configuration of the memory is changed, i.e., new channels are introduced into the cable television line-up or the descriptions of  
25 programming are modified (e.g., to change the size of individual descriptions, or to include pictures as part of the descriptions), a new database configuration record is preferably not required (see FIG. 12). Rather, program guide data for a new memory  
30 configuration is transmitted to the program guide without a new database configuration record, as shown in box 202. The program guide receives the program guide data for the new memory configuration, as shown in box 204. Thereafter, as shown in box 206, the

- 13 -

program guide reconfigures the database by checking the database configuration record for the levels corresponding to the new memory configuration and calculates the program listings level 86 and program descriptions level 96 accordingly to accommodate the new memory configuration.

Program listings table 80 of FIG. 8 and program descriptions table 90 of FIG. 9 show how much data is stored in memory for each category of data and for each level of memory usage. The program guide memory allocation scheme that uses the most memory for the program guide application corresponds to level zero. The program guide memory allocation scheme that uses the least memory for the program guide application corresponds to level 14. At the highest level of program guide memory usage (level zero), listings and descriptions data for special events is available for 30 days into the future. Data for pay-per-view movies, sporting events, non-pay-per-view movies, and regular programs is available for 7 days into the future. The 30 day entry in the level zero "any program" category in table 80 of FIG. 6 and table 90 of FIG. 7 indicates that any program that is more than thirty days into the future should be discarded. The highest level of program guide memory usage is suitable for arrangements in which the program guide application is the only application loaded into set-top boxes 28 and a minimum number of channels is being supported.

Whenever it is desired to remove an application other than program guide application 60 from set-top box 28 (FIG. 4), program guide application 60 may not require a new database configuration record 62. If, however, the increase in memory availability is substantial, a new database

- 14 -

configuration record 62 may be sent from television distribution facility 16 (FIG. 3) to establish a higher level of memory usage for listings and descriptions data. This allows the user access to more program listings and descriptions information when using program guide 60.

Whenever it is desired to add an application to set-top boxes 28, database configuration record 62 may be reconfigured at television distribution facility 16 (FIG. 3) and retransmitted to set-top boxes 28. Program listings level 86 may then be changed to establish a lower level of memory usage for program guide application 60. Similarly, program descriptions level 96 may then be changed to establish a lower level of memory usage for program guide application 60. This reduces the memory required by program guide application 60 for storing program listings and program descriptions in its database, thereby making more memory available for non-guide applications.

If desired, database configuration record 62 may specify a default startup level X for program listings 70 and a default startup level Y for program descriptions 72, as shown in FIG. 10 and as indicated by arrows next to the tables of FIGS. 8 and 9. Default startup levels 70 and 72 ensure that when memory 50 in set-top box 28 is initially used to store program guide application 60, the memory is not fragmented by over-allocation of memory followed by truncation to fit a more restrictive storage level. Using default startup levels 70 and 72, data collection may start at a level that requires a relatively small amount of memory. An illustrative set of default startup levels for a system with an available storage capacity of 750 kilobytes is level zero in FIG. 8 for program listings and level six



- 15 -

for descriptions in FIG. 9 for program descriptions, as indicated by the arrows 82 and 92 in FIGS. 8 and 9, respectively.

Once the startup routine has been  
5 successfully completed, program guide application 60 uses the maximum level of memory allocated to it by database configuration record 62. This memory allocation occurs as new listings and descriptions data is gradually introduced into memory. The initial  
10 reduced- allocation approach distributes memory more efficiently on startup of the program guide than allowing program guide application 60 to randomly choose levels on startup or to choose the highest levels available.

15 One suitable approach for adjusting the memory configuration of set-top boxes 28 by changing the amount of memory used by program guide application 60 is illustrated in the flow chart in FIG. 11. The flow chart of FIG. 11 shows how memory can be  
20 reallocated to accommodate a new application in set-top box 28 such as a shopping application or an Internet browser application. Because the new application must use some of the limited memory available in set-top box 28, the size of the new application affects the  
25 memory that is available in set-top box 28 for program guide application 60. Once the amount of memory needed to run the new application is determined at step 102, a suitable program running at television distribution facility 16 (FIG. 3) is used to determine the amount of  
30 memory that will be available for program guide data 67 in set-top box 28 after the new application is installed (step 104). At step 106, the suitable program uses program listings look-up table 80 and

- 16 -

program descriptions look-up table 90 to calculate a suitable new program listings level and new program description level to accommodate the new application. The suitable program then changes either the program  
5 listings level or the program descriptions level (or both) (step 106). This step 106 may require a new database configuration record 62. The new database configuration record is preferably downloaded first, to structure the memory of the program guide 60. The new  
10 application may then be downloaded from television distribution facility 16 into set-top boxes 28 at step 108.

One skilled in the art will appreciate that the present invention can be practiced by other than the described embodiments, which are presented for purposes of illustration and not of limitation, and the present invention is limited only by the claims which follow.

- 17 -

The Invention Claimed Is

1. An interactive television program guide system in which an interactive television program guide is implemented on user television equipment, comprising:

5 memory in the user television equipment in which program guide data is stored for use by the interactive television program guide;

means for receiving information on the amount of memory for the interactive television program  
10 guide to use to store the program guide data; and

means for adjusting the amount of memory used by the interactive television program guide to store the program guide data in response to the received information.

2. The interactive television program guide system defined in claim 1, wherein different categories of program guide data are stored in the memory, the interactive television program guide system further  
5 comprising means for reallocating the memory among the different categories of program guide data when the amount of memory used to store the program guide data is adjusted.

3. The interactive television program guide system defined in claim 2 further comprising means for reallocating the memory based on information in a database configuration record.

4. The interactive television program guide system defined in claim 3 further comprising a television distribution facility for providing the program guide data to the interactive television

- 18 -

5 program guide implemented on the user television equipment.

5 5. The interactive television program guide system defined in claim 4 wherein the television distribution facility further comprises means for determining the memory requirements of a new non-program-guide application.

5 6. The interactive television program guide system defined in claim 5 further comprising means for determining the amount of the memory that will be available to the interactive television program guide after the new non-program-guide application has been installed on the user television equipment.

5 7. The interactive television program guide system defined in claim 6 further comprising means for establishing how much of the program guide data the interactive television program guide should retain for each of the different categories of program guide data to accommodate the new non-program-guide application.

5 8. The interactive television program guide system defined in claim 7 further comprising means for downloading a new version of the database configuration record from the television distribution facility to the user television equipment.

5 9. The interactive television program guide system defined in claim 8 further comprising means for downloading the new non-program-guide application from the television distribution facility to the user television equipment.

- 19 -

10. The interactive television program guide system defined in claim 3 further comprising means for allocating the memory based on a plurality of storage levels contained in the database configuration record.

11. The interactive television program guide system defined in claim 10 wherein each storage level specifies how much data is to be retained by the interactive television program guide in a plurality of programming categories.

12. The interactive television program guide system defined in claim 11 further comprising means for using one of the programming categories as a filter to discard any program guide data that concerns programs more than a certain number of days into the future.

13. The interactive electronic television program guide system defined in claim 3 further comprising means for distributing the database configuration record to the user television equipment from a television distribution facility accompanied by the program guide data.

14. The interactive television program guide system defined in claim 13 wherein the program guide data is transmitted from a television distribution facility to the user television equipment in a data stream, the interactive television program guide system further comprising means for downloading the interactive television program guide to the user television equipment in a data stream separate from the

- 20 -

data stream used for transmitting the program guide  
10 data.

15. The interactive television program guide system defined in claim 13 further comprising means for inputting the database configuration record at a cable system headend.

16. The interactive television program guide system defined in claim 3 wherein the memory comprises a nonvolatile memory portion and a volatile memory portion.

17. The interactive television program guide defined in claim 16 further comprising means for storing the database configuration record in the nonvolatile memory portion and storing the program  
5 guide data in the volatile memory portion.

18. The interactive television program guide system defined in claim 3 further comprising means for including at least one default startup level in the database configuration record.

19. The interactive television program guide system defined in claim 1 wherein the program guide data stored in the memory corresponds to a given television channel line-up and wherein the means for  
5 adjusting further comprises means for allocating the memory among the different categories of program guide data when the amount of stored program guide data is adjusted in response to an addition of new channels to the given television channel line-up.

- 21 -

20. The interactive television program guide system defined in claim 1 wherein the means for adjusting further comprises means for adjusting the amount of memory used to store the program guide data to accommodate installation of a new application in the user television equipment.

21. The interactive television program guide system defined in claim 1, wherein the program guide data stored in the memory corresponds to a given television channel line-up the interactive television program guide system further comprising means for determining an amount of memory available for each of the different categories of program guide data after the addition of new channels, wherein the means for adjusting the memory adjusts based on the amounts of memory that are determined to be available.

22. The interactive television program guide system defined in claim 1 wherein the program guide data stored in the memory corresponds to a given television channel line-up, the interactive television program guide system further comprising means for detecting a change in the amount of channels offered in the television channel line-up.

23. An interactive television program guide system in which an interactive television program guide is implemented on user television equipment, comprising:

memory in the user television equipment in which program guide data for a given memory configuration is stored for use by the interactive television program guide;

- 22 -

means for receiving program guide data  
10 for a new memory configuration; and

means for reconfiguring the memory to  
accommodate the program guide data for the new memory  
configuration.

24. The interactive television program guide  
system defined in claim 23 wherein said given memory  
configuration further comprises a given channel line-  
up.

25. The interactive television program guide  
system defined in claim 24 wherein said new memory  
configuration further comprises a new channel line-up.

26. The interactive television program guide  
system defined in claim 23 wherein said program guide  
data further comprises program descriptions.

27. The interactive television program guide  
system defined in claim 26 wherein said new memory  
configuration further comprises modified program  
descriptions.

28. The interactive television program guide  
system defined in claim 23 wherein different categories  
of program guide data are stored in the memory, the  
means for reconfiguring further comprising means for  
5 reallocating the memory among the different categories  
of program guide data.

29. The interactive television program guide  
system defined in claim 28 further comprising means for



- 23 -

reallocating the memory based on information in a database configuration record.

30. The interactive television program guide system defined in claim 29 further comprising a television distribution facility for providing the program guide data to the interactive television program guide implemented on the user television equipment.

31. The interactive television program guide system defined in claim 30 wherein the television distribution facility further comprises means for determining the memory requirements of a new channel line-up.

32. The interactive television program guide system defined in claim 31 further comprising means for establishing how much of the program guide data the interactive television program guide should retain for each of the different categories of program guide data to accommodate the new channel line-up.

33. The interactive television program guide system defined in claim 32 further comprising means for downloading the new channel line-up from the television distribution facility to the user television equipment.

34. The interactive television program guide system defined in claim 29 further comprising means for allocating the memory based on a plurality of storage levels contained in the database configuration record.

- 24 -

35. The interactive television program guide system defined in claim 34 wherein each storage level specifies how much data is to be retained by the interactive television program guide in a plurality of programming categories.

36. The interactive television program guide system defined in claim 35 further comprising means for using one of the programming categories as a filter to discard any program guide data that concerns programs more than a certain number of days into the future.

37. A memory adjustment method for use in an interactive television program guide system in which an interactive television program guide is implemented on user television equipment that has memory, comprising:

storing program guide data in the memory for use by the interactive television program guide;

receiving information on the amount of memory available for the interactive television program guide to use to store the program guide data; and

adjusting the amount of memory used for storing the program guide data in response to the received information.

38. The method defined in claim 37 further comprising reallocating the memory among different categories of program guide data.

39. The method defined in claim 38 further comprising reallocating the memory based on information in a database configuration record.

- 25 -

40. The method defined in claim 39 further comprising distributing the program guide data from a television distribution facility to the interactive television program guide implemented on the user  
5 television equipment.

41. The method defined in claim 40 further comprising determining the memory requirements of a new non-program-guide application for installation in the user television equipment.

42. The method defined in claim 41 further comprising determining the amount of the memory that will be available to the interactive television program guide after the new non-program-guide application has  
5 been installed on the user television equipment.

43. The method defined in claim 42 further comprising establishing how much of the program guide data the interactive television program guide should retain for each of the different categories of program  
5 guide data to accommodate the new non-program-guide application in the memory.

44. The method defined in claim 43 further comprising downloading a new version of the database configuration record from the television distribution facility to the user television equipment.

45. The method defined in claim 44 further comprising downloading the new non-program-guide application from the television distribution facility to the user television equipment.

- 26 -

46. The method defined in claim 45 further comprising allocating the memory based on a plurality of storage levels contained in the database configuration record.

47. The method defined in claim 46 wherein allocating the memory based on the storage levels further comprises specifying how much data is to be retained by the interactive television program guide in  
5 a plurality of programming categories.

48. The method defined in claim 47 further comprising using one of the programming categories as a filter to discard any program guide data that concerns programs more than a certain number of days into the  
5 future.

49. The method defined in claim 39 further comprising distributing the database configuration record to the user television equipment from a television distribution facility accompanied by the  
5 program guide data.

50. The method defined in claim 49 further comprising:

transmitting the program guide data from a television distribution facility to the user  
5 television equipment in a data stream; and  
downloading the interactive television program guide to the user television equipment in a data stream separate from the data stream used for transmitting the program guide data.

- 27 -

51. The method defined in claim 49 further comprising inputting the database configuration record at a cable system headend.

52. The method defined in claim 39 further comprising using memory that includes a nonvolatile memory portion and a volatile memory portion.

53. The method defined in claim 52 further comprising storing the database configuration record in the nonvolatile memory portion and storing the program guide data in the volatile memory portion.

54. The method defined in claim 39 further comprising including at least a default startup level in the database configuration record.

55. The method defined in claim 37 further comprising detecting the addition of at least one new channel to a given television channel line-up and allocating the memory among the different categories of program guide data when the amount of memory used for stored program guide data is adjusted in response to an addition of at least one new channel to the given television channel line-up.

56. The method defined in claim 37 wherein the adjusting further comprises adjusting the memory to accommodate installation of a new application in the user television equipment.

57. The method defined in claim 37 further comprises determining an amount of memory available for each of the different categories of program guide data

- 28 -

after the addition of new channels, wherein the  
5 adjusting the memory adjusts based on the amounts of  
memory that are determined to be available.

58. The method defined in claim 37 further  
comprising detecting the addition of new channels to  
the given television channel line-up.

59. A memory reconfiguration method for use  
in an interactive television program guide system in  
which an interactive television program guide is  
implemented on user television equipment that has  
5 memory in which program data for a given memory  
configuration is stored, comprising:  
receiving program guide data for a new  
memory configuration; and  
reconfiguring the memory to accommodate  
10 the program guide data for the new memory  
configuration.

60. The method defined in claim 59 wherein  
the given memory configuration further comprises a  
given channel line-up.

61. The method defined in claim 60 wherein  
reconfiguring the memory configuration further  
comprises reconfiguring the memory configuration for a  
new channel line-up.

62. The method defined in claim 59 wherein  
the given memory configuration further comprises given  
programming descriptions.

- 29 -

63. The method defined in claim 62 wherein reconfiguring the memory configuration further comprises reconfiguring the memory configuration for modified program descriptions.

64. The method defined in claim 59, wherein different categories of program guide data are stored in the memory, reconfiguring further comprising reallocating the memory among the different categories  
5 of program guide data.

65. The method defined in claim 64 further comprising reallocating memory based on information in a database configuration record.

66. The method defined in claim 65 further comprising providing the program guide data from a television distribution facility to the interactive television program guide implemented on the user  
5 television equipment.

67. The method defined in claim 66 further comprising determining the memory requirements of a new channel line-up.

68. The method defined in claim 67 further comprising establishing how much of the program guide data the interactive television program guide should retain for each of the different categories of program  
5 guide data to accommodate the new channel line-up.

69. The method defined in claim 68 further comprising downloading the new channel line-up from the

- 30 -

television distribution facility to the user television equipment.

70. The method defined in claim 65 further comprising allocating the memory based on a plurality of storage levels contained in the database configuration record.

71. The method defined in claim 70 specifying wherein each storage level specifies how much data is to be retained by the interactive television program guide in a plurality of programming  
5 categories.


72. The method defined in claim 71 further comprising using one of the programming categories as a filter to discard any program guide data that concerns programs more than a certain number of days into the  
5 future.



1 / 12


INTERACTIVE  
TELEVISION  
PROGRAM  
GUIDE  
APPLICATION

***FIG. 1***  
**PRIOR ART**



INTERACTIVE  
TELEVISION  
PROGRAM  
GUIDE  
APPLICATION

*FIG. 2*



3/12






FIG. 3


4/12




*FIG. 4*

5 / 12

*FIG. 5*



*FIG. 6*

*FIG. 7*

8/12

84

80

82→

Level	Any Program	Special Events	PPV Movies	Sporting Events	Non-PPV Movies	Regular Programs
Level 0	30 days	30 days	7 days	7 days	7 days	7 days
Level 1	30 days	30 days	7 days	7 days	7 days	6 days
Level 2	30 days	30 days	7 days	7 days	7 days	5 days
Level 3	30 days	30 days	7 days	7 days	7 days	4 days
Level 4	30 days	30 days	7 days	7 days	7 days	3 days
Level 5	30 days	30 days	7 days	7 days	7 days	2 days
Level 6	30 days	30 days	7 days	7 days	7 days	1 day
Level 7	30 days	30 days	6 days	6 days	6 days	1 day
Level 8	30 days	30 days	5 days	5 days	5 days	1 day
Level 9	30 days	30 days	4 days	4 days	4 days	1 day
Level 10	30 days	30 days	3 days	3 days	3 days	1 day
Level 11	30 days	30 days	2 days	2 days	2 days	1 day
Level 12	30 days	30 days	1 day	1 day	1 day	1 day
Level 13	7 days	7 days	1 day	1 day	1 day	1 day
Level 14	1 day	1 day	1 day	1 day	1 day	1 day

86

FIG. 8



9/12

94

	Any Program	Special Events	PPV Movies	Sporting Events	Non-PPV Movies	Regular Programs
Level 0	30 days	30 days	7 days	7 days	7 days	7 days
Level 1	30 days	30 days	7 days	7 days	7 days	6 days
Level 2	30 days	30 days	7 days	7 days	7 days	5 days
Level 3	30 days	30 days	7 days	7 days	7 days	4 days
Level 4	30 days	30 days	7 days	7 days	7 days	3 days
Level 5	30 days	30 days	7 days	7 days	7 days	2 days
Level 6	30 days	30 days	7 days	7 days	7 days	1 day
Level 7	30 days	30 days	6 days	6 days	6 days	1 day
Level 8	30 days	30 days	5 days	5 days	5 days	1 day
Level 9	30 days	30 days	4 days	4 days	4 days	1 day
Level 10	30 days	30 days	3 days	3 days	3 days	1 day
Level 11	30 days	30 days	2 days	2 days	2 days	1 day
Level 12	30 days	30 days	1 day	1 day	1 day	1 day
Level 13	7 days	7 days	1 day	1 day	1 day	1 day
Level 14	1 day	1 day	1 day	1 day	1 day	1 day

92 →

96

FIG. 9

10/12




FIG. 10




FIG. 11

12/12




FIG. 12

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/23335

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 6 H04N5/445

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X A  Y	<p>WO 97 30549 A (POWERTV INC) 21 August 1997</p> <p>see page 3, line 17 - page 4, line 13 see page 8, line 3 - page 9, line 3 see page 18, line 4 - line 6 --- -/--</p>	<p>1,20,37 4,5, 8-10,40, 41,44-46 2,38</p>



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

\* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

10 February 1999

Date of mailing of the international search report

19/02/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Sindic, G

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/23335

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5 652 613 A (LAZARUS DAVID BERYL ET AL) 29 July 1997	2,38
A	<p>see column 2, line 44 - line 63  see column 3, line 19 - line 44  see column 4, line 10 - line 29  see column 4, line 60 - column 6, line 8</p> <p>---</p>	7,10-12, 28,30, 43, 46-48, 64,66, 70-72
A	<p>ROST T ET AL: "KEEPING TRACK OF THE PROGRAM FLOOD" COMPONENTS,  vol. 32, no. 4, 1997, pages 15-17, XP000740373  see page 15, left-hand column, paragraph 2  see page 15, right-hand column, paragraph 2  see page 16, left-hand column, paragraph 2 - paragraph 3  see page 16, right-hand column, paragraph 2</p> <p>---</p>	16,52
A	<p>HARTWIG S ET AL: "BROADCASTING AND PROCESSING OF PROGRAM GUIDES FOR DIGITAL TV" SMPTE JOURNAL,  vol. 106, no. 10, October 1997, pages 727-732, XP000727504  see page 731, right-hand column, paragraph 2 - page 732, left-hand column, paragraph 1</p> <p>---</p>	14,50
A	<p>RATH K ET AL: "SET-TOP BOX CONTROL SOFTWARE: A KEY COMPONENT IN DITITAL VIDEO" PHILIPS JOURNAL OF RESEARCH,  vol. 50, no. 1/02, July 1996, pages 185-199, XP000627669  see page 194, paragraph 2 - page 196, paragraph 3</p> <p>---</p>	9,45
A	<p>US 5 592 551 A (HAYASHI MICHAEL T ET AL) 7 January 1997</p> <p>see column 5, line 41 - column 6, line 27  see column 13, line 31 - column 14, line 14</p> <p>---</p>	3,8, 10-13, 15, 34-36, 39,44, 46-48, 51,70-72
	---	
	-/--	

# INTERNATIONAL SEARCH REPORT

In International Application No

PCT/US 98/23335

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>ROSENGREN J: "Electronic programme guides and service information"            PHILIPS JOURNAL OF RESEARCH,            vol. 50, no. 1, 1996, page 253-265            XP004008215            see page 262, paragraph 1 - paragraph 3            -----</p>	<p>1,23,37,            59</p>

# INTERNATIONAL SEARCH REPORT

Information on patent family members

Int. Application No

PCT/US 98/23335

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9730549 A	21-08-1997	AU 1693597 A EP 0880857 A	02-09-1997 02-12-1998
US 5652613 A	29-07-1997	AU 6278896 A CA 2223025 A EP 0880855 A WO 9641470 A	30-12-1996 19-12-1996 02-12-1998 19-12-1996
US 5592551 A	07-01-1997	US 5367571 A US 5357276 A AU 684936 B AU 2281495 A BR 9507404 A CA 2187880 A EP 0756797 A FI 964191 A JP 10502501 T NO 964388 A WO 9528799 A US 5537292 A	22-11-1994 18-10-1994 08-01-1998 10-11-1995 07-10-1997 26-10-1995 05-02-1997 18-12-1996 03-03-1998 18-12-1996 26-10-1995 16-07-1996



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINE(S) OR MARK(S) ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**